

Rotator Mixer

New!



Rotator Mixer RM-Multi 1

Compact and multifunctional, the new programmable Rotator Mixer RM-Multi 1 provides thorough mixing of microtubes and consistent results. The rotator is designed for mixing applications such as cell suspensions, incubations, extraction procedures, gel washing and precipitations.

RM-Multi 1 has three different motions – vertical rotation, reciprocal rotation and vibration, which can be used separately or combined – as well as variable speed and timer function.

Supplied with a standard platform for 22 tubes up to 15mm diameter (eg. 1.5ml, 2.0ml and 15ml tubes), STARLAB's new RM-Multi 1 is a practical aid for the daily mixing tasks in your lab.

An optional platform, for 4 tubes up to 30mm diameter (eg. 50ml tubes) and 12 tubes up to 15mm diameter, is also available.


Features:

- Effective vertical mixing
- Programmable
- 3 different motions
- Variable speed and timer
- Easy to operate push buttons with 2-line LCD display
- Low profile and small footprint
- Supplied with platform for 22 tubes up to 15mm diameter



Vertical Rotation

360° vertical motion for a time period 0-250 secs, or non-stop



Reciprocal Motion

Direction of platform is changing in turns (turning angle 15-90° for 0-250 secs, or non-stop)



Vibration

Direction of platform is changing in turns (see reciprocal motion) plus additional vibration (turning angle 1-5° for 1-5 sec.)



Pause

Direction of platform is changing in turns, including a temporary motion stop of 1-5 sec. (only in conjunction with reciprocal motion)

SPECIAL INTRODUCTORY OFFER: 15% OFF

(see over for details)

www.starlab.ch



Rotator

PRODUCT SPECIFICATIONS

| | |
|---------------------------------------------|------------------------|
| Speed: | 5–30 RPM |
| Turning angle (reciprocal mode): | 15–90° (increment 15°) |
| Turning angle (vibration mode): | 1–5° (increment 1°) |
| Timer (with automatic switch-off): | 1 min–24 hours |
| Timer (vertical or reciprocal mode): | 1–250 sec. |
| Timer (vibration mode): | 1–5 sec. |
| Pause (reciprocal mode): | 1–5 sec. |
| Maximum load: | 0.4kg |
| Dimensions (WxHxD): | 310 x 125 x 175mm |
| Weight: | 1.8kg |
| Power Supply (external): | DC 12V |
| Input Current: | 0.5 A |

ORDERING INFORMATION

| Cat. No. | Description | Pack Size | List Price | Offer Price |
|------------|-----------------------------------------------------|-----------|---------------------|--------------------|
| N2400-5000 | Programmable Rotator Mixer RM Multi-1 | 1 | sFr. 892 | sFr. 758.20 |
| N2400-5101 | Platform for 4 x 50ml Tubes and 12 x 1.5–15ml Tubes | 1 | sFr. 67 | sFr. 56.95 |
| N2400-5102 | Platform for 22 Tubes up to 15mm Diameter | 1 | sFr. 67 | sFr. 56.95 |

N2400-5000 is supplied and fitted with platform N2400-5102, as standard

All prices excl VAT. Offer Prices valid until 31-May-09



STARLAB Switzerland

Chilefeldstrasse 17
CH-5634 Merenschwand
Switzerland

T: +41 (0)56 664 59 80
F: +41 (0)56 664 59 88
info@starlab.ch

STARLAB Switzerland
is a division of Life Systems Design AG

www.starlab.ch



09-Feb-09